

# BUILDING PERMIT APPLICATION

CITY OF SCAPPOOSE 503.543.7184  
 PHYSICAL ADDRESS: 52610 NE 1ST #120  
 MAILING ADDRESS: 33568 E. COLUMBIA AVE.  
 SCAPPOOSE, OR 97056

APPLICATION DATE

ADDRESS OF STRUCTURE		TAX LOT NUMBER (REQUIRED) ~ Call County Assessor or use their website		PERMIT NUMBER	
OWNER		MAIL ADDRESS		CITY - STATE - ZIP	
CONTRACTOR		MAIL ADDRESS		CITY - STATE - ZIP	
IF using a contractor - they must apply for permit via Oregon e-permit on-line.		LIC. NO.		PHONE	
TYPE OF CONST.	SIZE OF BLDG.	1st	TOTAL SQ. FT.	OCCUPANCY	VALUATION OF WORK
PLUMBING backflow <input checked="" type="checkbox"/> RESIDENTIAL <input type="checkbox"/> COMMERCIAL	N/A	N/A	N/A	R	N/A
		2nd		GROUP	
		BASEMENT			
		GARAGE			
				REQUIRED SETBACKS	
				FRONT	SIDE
				SIDE	REAR
TYPE OF WORK:		LOT SIZE		ZONING	
<input checked="" type="checkbox"/> NEW <input type="checkbox"/> CHANGE					
<input type="checkbox"/> MECHANICAL <input type="checkbox"/> ADDITION		<input checked="" type="checkbox"/> PLUMBING <input type="checkbox"/> REPAIR			

JOB DESCRIPTION: Installing a new Backflow Device for Sprinkler System

CITY BUSINESS LICENSE NO. Only required for contractors.

Call city hall if you need a business license application  
 503-543-7146

**NOTICE**  
 THIS PERMIT BECOMES NULL AND VOID IF WORK OR CONSTRUCTION AUTHORIZED IS NOT COMMENCED WITHIN 180 DAYS, OR IF CONSTRUCTION OR WORK IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AT ANY TIME AFTER WORK IS COMMENCED.

This permit is granted on the express condition that the said construction will, in all respects, conform to the Ordinances of this jurisdiction, including the Zoning Ordinance, regulating the construction and use of buildings, and may be revoked at any time upon violation of any provision of said Ordinances.

I further certify that, pursuant to ORS 701.055(8) I will present to the City at the time of application for building permit or plumbing permit a full and complete list of names and registration numbers of all subcontractors and suppliers covered under chapter 701 of the Oregon Revised Statutes.

Failure to submit the list of subcontractors and suppliers will result in the withholding of the permit.

Failure to immediately notify the City of any changes of subcontractors and/or suppliers will result in the withholding of the occupancy permit and penalties under state and local statutes.

ALL SUBCONTRACTORS AND SUPPLIERS MUST BE LICENSED WITH THE CITY OF SCAPPOOSE PRIOR TO THE COMMENCEMENT OF THE JOB.

The granting of a permit does not presume to give authority to violate or cancel the provisions of any other state or local law regulating construction or the performance of construction.

I hereby certify that I have read and examined this application and know the same to be true and correct. All provisions of laws and ordinances governing this work will be complied with whether specified herein or not. By signing this I agree to expressly and unequivocally call for and consent to any and all inspections deemed necessary by the building officials.

SIGNATURE OF CONTRACTOR OR AUTHORIZED AGENT \_\_\_\_\_ DATE \_\_\_\_\_

SIGNATURE OF OWNER \_\_\_\_\_ DATE \_\_\_\_\_

**STAFF USE ONLY:**

SPECIAL CONDITIONS AND REMARKS:

After the installation of the backflow is complete;  
 - \* Call the city inspection request line to request inspection 503-543-3105  
 - \* Call State certified backflow tester to test your backflow (city has a list)  
 - \* Then Once yearly your backflow will needed to be tested by the State.

**MUST BE APPROVED BY ALL THOSE INDICATED BELOW**

BUILDING INSPECTOR: \_\_\_\_\_ DATE: \_\_\_\_\_ CITY ENGINEER: \_\_\_\_\_ DATE: \_\_\_\_\_  
 PLANNER: \_\_\_\_\_ DATE: \_\_\_\_\_ OFFICE ADMINISTRATOR: \_\_\_\_\_ DATE: \_\_\_\_\_

PERMIT FEES		
	RECEIPT NO.	FEE
ADMIN. FEE		/
PLAN CHECKING		/
FIRE / LIFE / SAFETY		/
CONSTRUCTION		/
STATE BUILDING FEE		/
PLUMBING		\$ /
STATE PLUMBING 12%		\$ /
MECHANICAL		/
STATE MECHANICAL		/
SDC WATER		/
SDC SEWER		/
SDC STREETS		/
SDC PARKS		/
SDC STORM		/
WATER/SEWER		/
CONSTRUCTION WATER		/
INVESTIGATION FEE		/
ENGINEER REVIEW FEE		/
PLANING DEPT. REVIEW		/
ISSUE DATE:	<b>TOTAL</b>	.

# *City of Scappoose*

## *Irrigation-Backflow Checklist*

All irrigation systems supplied by city water shall have a state approved backflow device installed on the property-owner's side of the water meter. This is a requirement in accordance with the FEDERAL SAFE DRINKING WATER ACT AMENDMENTS OF 1986.

All Irrigation Systems Require a **Backflow Device**  
All Backflow Devices Require a **Plumbing Permit**

### **BACKFLOW CHECKLIST:**

- A City of Scappoose **plumbing permit** is required to install (or remove) backflow devices  
Homeowners; Apply using the Backflow Permit Packet application.  
Contractors; Apply via Oregon ePermitting; <https://aca-oregon.accela.com/oregon/Default.aspx>
  - Contractors must be licensed with the State of Oregon Landscape Contractor's Board with "**plus backflow**". For license search call the State of Oregon License Board 503-378-5909 or visit; <https://www.oregon.gov/LCB/pages/index.aspx>
  - In addition, all contractors must also have a City of Scappoose business license (Portland Metro does not cover Scappoose). Pick up applications at City Hall or print them from our city website.
- Once the backflow is installed;
  - a State certified tester (see local list below) must test the unit BEFORE the City Plumbing Inspection. Please ensure your State Certified Backflow Tester knows to send a copy of the test report to the city.
  - After the State Test is completed & passed, call the 24hr. inspection line to request a City plumbing permit inspection. Check your permit for your IVR# and the 800# to call to schedule the Plumbing inspection.

**Your backflow will need to be tested YEARLY by a State certified tester (see list below).**

**The State of Oregon's public list for Columbia County backflow assembly testers;**  
Crow Water 503-543-6326 ---- McMullen Water 503-397-1744  
Elijah Olson 503-740-9563 ---- Absolute Perfection Landscape 503-543-8852  
<https://yourwater.oregon.gov/backflow.php?county=Columbia>

*Scappoose Code Section 13.04.110*, authorizes the City to discontinue water service to any property that fails to comply with the City Ordinance and State Administrative Rules regarding backflow devices. Maintenance and testing is the responsibility of the property owner. Removal of backflow devices will also require a plumbing permit and final inspection of removal.

For questions about permits, call Liz @ Community Development Center (503)543-7184.  
For questions about your yearly test cycle; call Kathleen @ City Hall (503)543-7146 #1.

The State Landscape Contractors Board (LCB) realizes the significant importance of the relationship between the different code enforcement agencies throughout the State of Oregon and the LCB.

The installation of irrigation systems for lawns, trees, shrubs and other decorative vegetation can only be done by licensed landscaping businesses that have either the **All Phase plus Backflow or Irrigation only plus Backflow** phase of licensure. Please check the business license card or our website: [www.lcb.state.or.us](http://www.lcb.state.or.us) to verify this information.

Landscape Contractor Law, specifically: OAR 808-003-0040(3) address the requirement for all landscaping businesses to obtain the required permits for Backflow device installation and comply with applicable code requirements. Failure to do so may result in suspension, conditioning or revoking of the LCB landscaping business license and a civil penalty of \$500.00.

**Please Note: the installer of a backflow device must be the individual landscape contractor that has the LIBDI (Limited Irrigation Backflow Device Installer) phase of license and is either an owner or employee of a licensed landscaping business.**



## LCB COOPERATION WITH LOCAL OFFICIALS

It is the intent of the LCB to work as closely as possible with the local building code officials to determine violations of the LCB law, plumbing code requirements and other violations of code provisions mandated by state or local jurisdictions related to landscape work.

The LCB is committed to following up on referrals from the building code official who determines there has been a permit violation by a person performing landscape work by investigating the situation and reporting back the findings and actions of the board to the regulating agency. Likewise, the LCB will report any permit violations noticed in routine site-checks or industry referrals to the proper authorities of the local jurisdiction and thus create a cooperative system that will curb this type of violation within the state.

**Please report any violations of this code requirement to:**

### **State Landscape Contractors Board**

235 Union St. NE

Salem, OR 97301

Ph: (503) 986-6561


Fax: (503) 986-6582

Email: [lcb.info@state.or.us](mailto:lcb.info@state.or.us)

## CHECK THE LICENSE

You may check the status of a landscaping business license on our website: [www.lcb.state.or.us](http://www.lcb.state.or.us).

By following the "verify a license" link to "search for landscaping businesses" you will be able to see if a business has the "**plus Backflow**" phase of license that is required to install Backflow devices. Also you will find the name of the licensed Individual landscape contractor who is licensed to install the backflow device under the "details" link of this screen. Please check the phase of license of this individual if there is more than one listed.



[Services](#)

[Training Tools](#)

[Resources](#)

[Training Events](#)

[Research](#)

[Order Online](#)



# List of **Approved Backflow Prevention Assemblies**

The List of Approved Backflow Prevention Assemblies continues to be a valuable source of information for anyone involved in cross-connection control. Keeping up-to-date with the most current List is crucial. The best way to stay current is downloading the List from the USC Foundation's website since it is updated as changes are made to the List.

**List of Approved Backflow Prevention Assemblies**  
6 September 2012 Supersedes All Prior Lists

**Notices**

**NOTICE REGARDING RENEWALS:**  
The original Certificate of Approval-identified by the Edition of the Manual and the Approved date shown below-is valid as of the date of this list, only if the original or renewal date shown hereon is within three (3) years of the date of this list. The responsibility to request a renewal of an Approval is that of each manufacturer. The Foundation retains the right of determining the extent of re-evaluation required before renewal is granted. Certificates of Approval are not recalled for the purpose of updating the effective date. This revision of date is only published via the current List of Approved Backflow Prevention Assemblies.

**NOTICE REGARDING INSTALLATION:**  
Unless otherwise specified by the manufacturer all assemblies are to be installed on cold potable water applications - below 110°F. Also all of the assemblies listed are Approved for **INDICATED ORIENTATION ONLY** (Please see the legend below). Rotation of assemblies on either axis will invalidate the Foundation's Approval. Use of spare parts other than those of the original manufacturer invalidates the Approval. Rotation of shut-off valves of one bolt hole only is permitted only for the 2 1/2" and larger flanged assemblies.

**NOTICE REGARDING LEAD CONTENT:**  
In order to comply with recent lead free requirements in California and other states, Foundation Approved assemblies which comply with the ≤ 0.25% lead requirement are indicated by a 'Y' in the column ≤ 0.25%LFB. More information on the California requirements may be found at: <http://www.dtsc.ca.gov/PollutionPrevention/LeadInPlumbing.cfm>

**NOTICE REGARDING LIST UPDATES:**  
The List of Approved Assemblies is printed annually in the first quarter of the year. Update notices are printed and sent to Members quarterly. The most recent changes to the List may be found on the Foundation's website. The web version of the List is updated each time a change is made.

**Orientation of Assemblies**

The List is comprised of backflow prevention assemblies, which have successfully completed the laboratory and field evaluation phases of the Foundation's Approval Program. The backflow prevention assemblies are approved for a period of three years and this approval is subject to renewal.

## Download Now

- [Excel](#) (Complete List)
- [PDF](#) (Complete List)
- [Web App](#) (Mobile Devices)
- [PDF](#) (Updates Only)

## Buy Now

[2020 USC List](#)

## Assembly Feedback

[Comments or Complaints](#)

## Lead Free Parts

[Spare Parts Information](#)

## Added Benefit for USC Foundation Members

Each approved backflow prevention assembly is listed by the type of assembly, manufacturer’s name, model, size, edition of the manual under which the assembly was approved, approval date, and the latest renewal date. The List also reflects assemblies no longer in production but for which spare parts are still available from the manufacturer.

All of the acceptable shutoff valves, which may be used as replacement shutoff valves, are listed with each approved assembly. The use of shutoff valves other than those listed invalidates the Foundation’s approval. The listing of shutoff valves allows those in the field to replace one or both shutoff valves of a backflow preventer with any of the listed valves.

The List is made available digitally in three formats; a sortable Excel format, PDF format and as a web app. The web app is designed for mobile devices and may not display properly on your desktop computer.

The List is also made available in printed format but does not include any additions after January 16, 2019. The [2019 USC List](#) is available to anyone and is a great tool to have when access to the USC List online is not available.

1	Type	Manufacturer	Model	Size	Orientation(s)	Approved	Renewed	50/25% Pb	Manual	Shutoffs
2	AVB	Ames	A100	3/4	VUH	1-Nov-1991	1-Nov-2009	N	8	
3	AVB	Ames	A100	1	VUH	1-Nov-1991	1-Nov-2009	N	8	
4	AVB	Ames	A100	1 1/2	VUH	27-Sep-1991	27-Sep-2009	N	8	
5	AVB	Ames	A100	2	VUH	21-Aug-1991	21-Aug-2009	N	8	
6	AVB	Watts	288AM3	1 1/4	VUH	12-Aug-1991	12-Aug-2009	N	8	
7	AVB	Watts	288AM3	1 1/2	VUH	27-Sep-1991	27-Sep-2009	N	8	
8	AVB	Watts	288AM3	2	VUH	21-Aug-1991	21-Aug-2009	N	8	
9	AVB	Watts	288AM3	2 1/2	VUH	10-Sep-1991	10-Sep-2009	N	8	
10	AVB	Watts	288AM3	3	VUH	16-Sep-1991	16-Sep-2009	N	8	
11	AVB	Watts	288AM5	3/4	VUH	1-Nov-1991	1-Nov-2009	N	8	
12	AVB	Watts	288AM5	1	VUH	1-Nov-1991	1-Nov-2009	N	8	
13	DC	Ames	2000-DC	10	H	4-Aug-1987	2-Aug-2011	N	7	tt,ee,ff,gg,hh,ll,mm,oo
14	DC	Ames	2000-DCA	4	H	11-Jan-1988	11-Jan-2012	N	7	tt,ee,ff,gg,hh,ll,mm,oo
15	DC	Ames	2000-DCA	6	H	11-Jan-1988	11-Jan-2012	N	7	tt,ee,ff,gg,hh,ll,mm,oo
16	DC	Ames	2000-DCA	8	H	11-Jan-1988	11-Jan-2012	N	7	tt,ee,ff,gg,hh,ll,mm,oo
17	DC	Ames	2000-G-DC	10	H	4-Aug-1987	4-Aug-2011	N	7	tt,ee,ff,gg,hh,ll,mm,oo

The top of each column in the Excel version of the List can act as filters to filter the exact information needed. One can choose which type of assembly (DC, RP, DCDA, DCDA-II, RPDA-II, RPDA, AVB, PVB, or SVB) at the top of the column. Then only those particular assemblies show on the List. This can be printed and handed out to the customer. With the Excel version of the List, it is much easier to provide the end user with a narrowed down list of what is needed in any specific situation. For example, one could select the following: RP, Lead Free, 2", Vertical up inlet and vertical down outlet. This would generate a list of five acceptable assemblies. and distribute it to their end user.

The USC Foundation's List of Approved Backflow Prevention Assemblies is copyrighted.

The List is updated numerous times a year and keeping up to date with the latest additions may be cumbersome.

**Members of the USC Foundation receive an e-mail notification every time the List has been updated**

A company, which is a USC Foundation member, may extend this benefit to any of its employees.

Current members are urged to [sign up](#) for the notifications.

**Plus, member's have exclusive access to the List of Previously Approved Backflow Prevention Assemblies.** The list consists of backflow prevention assemblies that have been approved by the USC Foundation in the past but were removed from the List.

The Previously Approved List is available to download from the Foundation's online store. If you are a member and are having difficulty downloading it, please contact our office.

If you are interested in becoming a USC Foundation member please click [HERE](#).

USC Foundation Office  
 Research Annex 219  
 Los Angeles, CA 90089-7700

Hours: Mon-Fri 7:30 am-3:00 pm  
 Toll Free: 866.545.6340  
 Fax: 213.740.8399  
 Email: [fccchr@usc.edu](mailto:fccchr@usc.edu)

Copyright © 2019 University of Southern California  
 Foundation for Cross-Connection Control and Hydraulic Research  
 All Rights Reserved